

L Number	Hits	Search Text	DB	Time stamp
-	1667	(select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:17
-	4	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) same ((CPU or processor)near4 (usage or performance))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:37
-	0	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) same (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near4 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:28
-	0	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near4 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:29
-	325	(automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:20
-	31	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) with ((CPU or processor))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:47
-	1	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) with ((CPU or processor)near4 (usage or performance))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:38
-	0	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near4 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:30
-	0	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near6 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:30
-	2	((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near6 ((CPU or processor)adj2 (performance)))) and ((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:31
-	11	((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near6 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:26
-	0	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) same (application adj2 program)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 08:47
-	12	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) with ((CPU or processor))) and (application adj2 program)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:13
-	1263	(power adj2 (manag\$5 or conserv\$6))near6 (processor or CPU)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:19
-	3575	(power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:12
-	163	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) with ((CPU or processor)near4 (usage or performance))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 12:01

-	244	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:13
-	6	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same ((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:22
-	1	(automatic\$4 near4 (chang\$4 or control\$4 or adjust\$4 or switch\$4 or reduc\$5))with ((clock adj2 throttle)adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:23
-	3	((chang\$4 or control\$4 or adjust\$4 or switch\$4 or reduc\$5))with ((clock adj2 throttle)adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:25
-	2	((chang\$4 or control\$4 or adjust\$4 or switch\$4 or reduc\$5))near6 ((clock adj2 throttle)adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:25
-	0	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) near6 ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:26
-	3	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and (((("not" or without) adj2 (effect\$4 or affect\$4 or influenc\$4)) same ((CPU or processor)adj2 (performance))))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:26
-	31	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))) same ((CPU or processor)near4 (usage or performance))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:52
-	1	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))) same ((CPU or processor)near4 (usage))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 09:53
-	16	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))) and ((CPU or processor)near4 (usage))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 10:27
-	1	(measur\$4 near3 ((CPU or processor)near4 (usage))) same ((compa\$4 near5 (predetermined or predefined or designed or predecided))with usage)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 10:30
-	1	(measur\$4 near3 ((CPU or processor)near4 (usage))) and ((compa\$4 near5 (predetermined or predefined or designed or predecided))with usage)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 10:29
-	39	measur\$4 near3 ((CPU or processor)near4 (usage))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:06
-	3	(measur\$4 near3 ((CPU or processor)near4 (usage))) same ((compa\$4 with (predetermined or predefined or designed or predecided)))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 10:33
-	8	(measur\$4 near3 ((CPU or processor)near4 (usage))) and ((compa\$4 with (predetermined or predefined or designed or predecided)))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:03

-	2	5797115.uref.	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:01
-	22	(compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:12
-	10	measur\$4 near3 ((CPU or processor)near4 (usage))	EPO; JPO; DERWENT	2004/04/02 11:14
-	7	(compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided)	EPO; JPO; DERWENT	2004/04/02 12:37
-	1910	(power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)	EPO; JPO; DERWENT	2004/04/02 11:12
-	77	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))	EPO; JPO; DERWENT	2004/04/02 11:13
-	133	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))	EPO; JPO; DERWENT	2004/04/02 11:13
-	0	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and (((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4)))) and ((CPU or processor)near4 (usage))	EPO; JPO; DERWENT	2004/04/02 11:14
-	11	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and ((CPU or processor)near4 (usage))	EPO; JPO; DERWENT	2004/04/02 12:36
-	1	((clock near2 throttle)near6 (control\$4 or adjust\$4 or chang\$4 or switch\$4)) and ((CPU or processor)near4 (usage))	EPO; JPO; DERWENT	2004/04/02 11:56
-	6	(clock near2 throttle)near6 (control\$4 or adjust\$4 or chang\$4 or switch\$4)	EPO; JPO; DERWENT	2004/04/02 11:54
-	2	(clock adj2 throttle)near6 (control\$4 or adjust\$4 or chang\$4 or switch\$4)	EPO; JPO; DERWENT	2004/04/02 11:55
-	11	(clock adj2 throttle)near6 (control\$4 or adjust\$4 or chang\$4 or switch\$4)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 11:56
-	10	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) same (thrott1\$4 near3 (rate or speed or frequenc\$3))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 12:02
-	274	(determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)near4 (usage))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 12:37
-	166	(determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)adj3 (usage))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 12:37
-	0	((determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)near4 (usage))) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided))	EPO; JPO; DERWENT	2004/04/02 12:38
-	0	((determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)near4 (usage))) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided))	EPO; JPO; DERWENT	2004/04/02 12:38
-	4	((determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)near4 (usage))) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))same (predetermined or predefined or designed or predecided))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 12:39

-	32	((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))same (predetermined or predefined or designed or predecided))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:12
-	3	((determin\$4 or detect\$4 or measur\$4 or calculat\$4)near6 ((CPU or processor)near4 (usage))) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:41
-	781	(power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:16
-	984	(clock near4 (frequenc\$4 or speed or control\$4 or switch\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:17
-	175	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) and ((chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:17
-	143	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) and ((chang\$4 or control\$4 or switch\$4 or reduc\$5))near4 (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:18
-	173	((clock near4 (frequenc\$4 or speed or control\$4 or switch\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) same ((chang\$4 or control\$4 or switch\$4 or reduc\$5))near4 (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:18
-	13	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) same ((chang\$4 or control\$4 or switch\$4 or reduc\$5))near4 (clock adj4 (rate or speed or frequenc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:26
-	2	((clock near4 (frequenc\$4 or speed or control\$4 or switch\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) same ((chang\$4 or control\$4 or switch\$4 or reduc\$5))near4 (clock adj4 (rate or speed or frequenc\$4))) same (thrott1\$3 adj2 (rate or speed or frequenc\$3))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:28
-	3	((clock near4 (frequenc\$4 or speed or control\$4 or switch\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) same ((chang\$4 or control\$4 or switch\$4 or reduc\$5))near4 (clock adj4 (rate or speed or frequenc\$4))) same (clock near3 thrott1\$3)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:30
-	3	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) with (clock near3 thrott1\$3)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:31
-	6	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) same (clock near3 thrott1\$3)	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:36
-	1	((power adj3 (manag\$4 or consum\$6 or control\$4 or conserv\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) and ((clock near3 thrott1\$3)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:37

-	3	((clock near4 (frequenc\$4 or speed or control\$4 or switch\$6))with ((processor or CPU)near4 (usage or utiliz\$7 or us\$3))) and ((clock near3 throttl\$3)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:37
-	0	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and ((clock near3 throttl\$3)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:38
-	1	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((clock near3 throttl\$3)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:39
-	1	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((clock near3 throttl\$4)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:39
-	2	((power adj2 (manag\$5 or consum\$7 or conserv\$6))near6 (processor or CPU)) and ((clock near3 throttl\$3)adj3 (rate or speed))	EPO; JPO; DERWENT	2004/04/02 13:39
-	2	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((clock near3 throttl\$3)adj3 (rate or speed))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 13:41
-	0	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) with ((CPU or processor)near4 (usage or utiliz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:39
-	3	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) same ((CPU or processor)near4 (usage or utiliz\$7))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:40
-	2	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) same ((CPU or processor)near4 (usage or utiliz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:40
-	21	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((CPU or processor)near4 (usage or utiliz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:40
-	0	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((CPU or processor)near4 (usage or utiliz\$7)) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:41
-	1	((automatic\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((CPU or processor)near4 (usage or utiliz\$6)) and ((compa\$4 near6 ((measur\$4 or determin\$4 or calculat\$4)adj5 usage))with (predetermined or predefined or designed or predecided))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:41
-	76	((select\$4 near4 (chang\$4 or control\$4 or switch\$4 or reduc\$5))with (clock adj4 (rate or speed or frequenc\$4))) and ((CPU or processor)near4 (usage or utiliz\$7))	USPAT; US-PGPUB; IBM_TDB	2004/04/02 14:44
-	1	6079025.pn.	USPAT	2004/04/05 08:13
-	1	5396635.pn.	USPAT	2004/04/05 08:13
-	1	5892959.pn.	USPAT	2004/04/05 08:13